


Containers & Kubernetes

Session #04




moOngy.



Docker compose
Lab


Docker Compose



What it is?

Docker compose

- Docker Compose is a tool for defining and running complex applications with Docker.
- Define a multi-container application in a single file
- Spin your application up in a single command



Features

Docker compose

- Multiple isolated environments on a single host
- Preserve volume data when containers are created
- Only recreate containers that have changed
- Variables and moving a composition between environments
- Multiple compose files
- Allow to handle containers lifecycle

Before...

Docker compose



```
$ docker network create -d bridge vote-network
$ docker run -e "ALLOW_EMPTY_PASSWORD=yes" -d -p 6379:6379 --network vote-network --name vote-redis
mcr.microsoft.com/oss/bitnami/redis:6.0.8
$ docker run -e "REDIS=vote-redis" -d -p 8080:80 --network vote-network --name vote-front
mcr.microsoft.com/azuredocs/azure-vote-front:v1
```

After...

Docker compose

```
version: '3'
services:
  azure-vote-back:
    image: mcr.microsoft.com/oss/bitnami/redis:6.0.8
    environment:
      ALLOW_EMPTY_PASSWORD: "yes"
    ports:
      - "6379:6379"

  azure-vote-front:
    image: mcr.microsoft.com/azuredocs/azure-vote-front:v1
    environment:
      REDIS: azure-vote-back
    ports:
      - "8080:80"
```

YAML file

Docker compose

Version

Services

Build

Image

Environment

Ports

Volumes

Volumes

Networks

```
version: "3.9"

services:
  db:
    image: mysql:5.7
    volumes:
      - db_data:/var/lib/mysql
    restart: always
    environment:
      MYSQL_ROOT_PASSWORD: somewordpress
      MYSQL_DATABASE: wordpress
      MYSQL_USER: wordpress
      MYSQL_PASSWORD: wordpress

  wordpress:
    depends_on:
      - db
    image: wordpress:latest
    volumes:
      - wordpress_data:/var/www/html
    ports:
      - "8000:80"
    restart: always
    environment:
      WORDPRESS_DB_HOST: db
      WORDPRESS_DB_USER: wordpress
      WORDPRESS_DB_PASSWORD: wordpress
      WORDPRESS_DB_NAME: wordpress
volumes:
  db_data: {}
  wordpress_data: {}
```


Commands

Docker compose

Create and start all the containers listed in the "docker-compose.yml"

```
$ docker-compose up -d
```

List all the containers belong to the compose environment instance

```
$ docker-compose ps
```


Stop all containers started by docker-compose

```
$ docker-compose down
```



Demo: Docker Compose

Lab



Lab 4: Let's put all together!

Github

[Lab 04 - Let's put all together | docker-kubernetes-training
\(tasb.github.io\)](https://github.com/tasb/docker-kubernetes-training)



- Rua Sousa Martins, nº 10
1050-218 Lisboa | Portugal

